



EB-A2 (Stub Cut Length) : 2 flute, 30° helix stub cut length, ball nose solid carbide endmills. Used for materials up to 55-70 HRC.



Hard Materials



Designation	D	r	d	ap	L	H	D2	Flute	Ha°/b>	Shank	Grade
EB-A2 01-01/02C04H50	1.00	0.50	4.00	1.00	50.00	2.20	0.95	2	30.0	C	IC903
EB-A2 012-012/02C04H50	1.20	0.60	4.00	1.20	50.00	2.60	1.10	2	30.0	C	IC903
EB-A2 015-015/03C04H50	1.50	0.75	4.00	1.50	50.00	3.00	1.40	2	30.0	C	IC903
EB-A2 02-02/04C06H50	2.00	1.00	6.00	2.00	50.00	4.00	1.90	2	30.0	C	IC903
EB-A2 03-03/06C06H60	3.00	1.50	6.00	3.00	60.00	6.00	2.90	2	30.0	C	IC903
EB-A2 04-04/08C06H70	4.00	2.00	6.00	4.00	70.00	8.00	3.90	2	30.0	C	IC903
EB-A2 05-05/10C06H80	5.00	2.50	6.00	5.00	80.00	10.00	4.90	2	30.0	C	IC903
EB-A2 06-06/12C06H90	6.00	3.00	6.00	6.00	90.00	12.00	5.90	2	30.0	C	IC903
EB-A2 07-07/14C08H90	7.00	3.50	8.00	7.00	90.00	14.00	6.90	2	30.0	C	IC903
EB-A2 08-08/16C08H100	8.00	4.00	8.00	8.00	100.00	16.00	7.90	2	30.0	C	IC903
EB-A2 09-09/18C10H100	9.00	4.50	10.00	9.00	100.00	18.00	8.90	2	30.0	C	IC903
EB-A2 10-10/20C10H100	10.00	5.00	10.00	10.00	100.00	20.00	9.90	2	30.0	C	IC903
EB-A2 12-12/24C12H110	12.00	6.00	12.00	12.00	110.00	24.00	11.90	2	30.0	C	IC903
EB-A2 14-14/28C14H110	14.00	7.00	14.00	14.00	110.00	28.00	13.80	2	30.0	C	IC903
EB-A2 16-16/32C16H140	16.00	8.00	16.00	16.00	140.00	32.00	15.80	2	30.0	C	IC903
EB-A2 18-18/36C18H140	18.00	9.00	18.00	18.00	140.00	36.00	17.80	2	30.0	C	IC903
EB-A2 20-20/40C20H160	20.00	10.00	20.00	20.00	160.00	40.00	19.80	2	30.0	C	IC903
EB-A2 25-25/50C25H180	25.00	12.50	25.00	25.00	180.00	50.00	24.80	2	30.0	C	IC903