





EB-A2 (Tapered Flute & Neck) : 2 flute, 30° helix tapered flute and neck, solid carbide ball nose endmills. Used for materials up to



Hard Materials



Designation	D	r	d	ap	l2	H	D2	Ta°/b>	L	Flute	Ha°/b>	Shank	Grade
EB-A2 01-02/04/1.5C06M60	1.00	0.50	6.00	2.00	4.0	23.00	2.00	1.5	60.00	2	30.0	C	IC903
EB-A2 01-02/04/3.0C06M80	1.00	0.50	6.00	2.00	4.0	42.00	5.00	3.0	80.00	2	30.0	C	IC903
EB-A2 01-02/04/5.0C06M60	1.00	0.50	6.00	2.00	4.0	23.00	4.30	5.0	60.00	2	30.0	C	IC903
EB-A2 02-04/06/1.5C06M60	2.00	1.00	6.00	4.00	6.0	23.00	2.90	1.5	60.00	2	30.0	C	IC903
EB-A2 02-04/06/3.0C06M80	2.00	1.00	6.00	4.00	6.0	41.00	5.70	3.0	80.00	2	30.0	C	IC903
EB-A2 02-04/06/5.0C06M60	2.00	1.00	6.00	4.00	6.0	23.00	5.00	5.0	60.00	2	30.0	C	IC903
EB-A2 03-06/08/1.5C06M90	3.00	1.50	6.00	6.00	8.0	52.00	5.30	1.5	90.00	2	30.0	C	IC903
EB-A2 03-06/08/3.0C06M70	3.00	1.50	6.00	6.00	8.0	32.00	5.60	3.0	70.00	2	30.0	C	IC903
EB-A2 04-08/10/1.5C06M90	4.00	2.00	6.00	8.00	10.0	49.00	6.00	1.5	90.00	2	30.0	C	IC903
EB-A2 04-08/10/3.0C06M70	4.00	2.00	6.00	8.00	10.0	28.00	6.00	3.0	70.00	2	30.0	C	IC903
EB-A2 05-10/12/1.5C08M110	5.00	2.50	8.00	10.00	12.0	61.00	7.60	1.5	110.00	2	30.0	C	IC903
EB-A2 05-10/12/3.0C08M90	5.00	2.50	8.00	10.00	12.0	41.00	8.00	3.0	90.00	2	30.0	C	IC903
EB-A2 06-12/15/1.5C08M110	6.00	3.00	8.00	12.00	15.0	53.00	8.00	1.5	110.00	2	30.0	C	IC903
EB-A2 06-12/15/3.0C08M90	6.00	3.00	8.00	12.00	15.0	34.00	8.00	3.0	90.00	2	30.0	C	IC903
EB-A2 08-14/17/1.5C10M120	8.00	4.00	10.00	14.00	17.0	55.00	10.00	1.5	120.00	2	30.0	C	IC903
EB-A2 08-14/17/3.0C10M100	8.00	4.00	10.00	14.00	17.0	36.00	10.00	3.0	100.00	2	30.0	C	IC903
EB-A2 10-18/21/1.5C12M130	10.00	5.00	12.00	18.00	21.0	59.00	12.00	1.5	130.00	2	30.0	C	IC903
EB-A2 10-18/21/3.0C12M110	10.00	5.00	12.00	18.00	21.0	40.00	12.00	3.0	110.00	2	30.0	C	IC903
EB-A2 12-22/25/1.5C16M160	12.00	6.00	16.00	22.00	25.0	83.00	15.00	1.5	160.00	2	30.0	C	IC903
EB-A2 12-22/25/3.0C16M140	12.00	6.00	16.00	22.00	25.0	63.00	16.00	3.0	140.00	2	30.0	C	IC903