





CCGT mit 3D Spanleitstufe TiroWave®
with 3D Chip breaker





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
CCGT 060201 FN	●		●	●		●							6,35	2,80	2,38	6,45	0,10	3,5	3,0
CCGT 060202 FN	●		●	●		●	●	●		●	●	0,20					3,4	3,0	
CCGT 060204 FN	●		●	●		●	●	●		●	●	0,40					3,2	3,0	
CCGT 060208 FN	●		●	●		●	●	●		●	●	0,80					3,0	3,0	
CCGT 09T301 FN	●		●	●		●						9,52	4,40	3,97	9,70	0,10	4,6	3,0	
CCGT 09T302 FN	●		●	●		●	●	●		●	●					0,20	4,5	3,0	
CCGT 09T304 FN	●		●	●		●	●	●		●	●					0,40	4,3	3,0	
CCGT 09T308 FN	●		●	●		●	●	●		●	●					0,80	4,1	3,0	
CCGT 09T312 FN			●			●		●			●	1,20	3,9	3,0					
CCGT 120402 FN	●		●	●		●	●	●		●	●	12,7	5,50	4,76	12,9	0,20	4,5	3,0	
CCGT 120404 FN	●		●	●		●	●	●		●	●					0,40	4,3	3,0	
CCGT 120408 FN	●		●	●		●	●	●		●	●					0,80	4,1	3,0	
CCGT 120412 FN	●		●	●		●	●	●		●	●					1,20	3,9	3,0	

CCGT Wiper Geometrie mit 3D Spanleitstufe TiroWave®
Wiper edge with 3D Chip breaker



Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
CCGT 060202 FN -W	●		●	●		●		●		●	●	6,35	2,80	2,38	6,45	0,20	3,4	3,0	
CCGT 060204 FN -W	●		●	●		●		●		●	●					0,40	3,2	3,0	
CCGT 09T302 FN -W	●		●	●		●		●		●	●	9,52	4,40	3,97	9,70	0,20	4,5	3,0	
CCGT 09T304 FN -W	●		●	●		●		●		●	●					0,40	4,3	3,0	
CCGT 120402 FN -W	●		●	●		●	●	●		●	●	12,7	5,50	4,76	12,9	0,20	4,5	3,0	
CCGT 120404 FN -W	●		●	●		●	●	●		●	●					0,40	4,3	3,0	



CCGT ganze Schneide mit 3D Spanleitstufe TiroWave® Whole edge with 3D Chip breaker



Diamond ISO WaveCut



Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
CCGT 060204 FR/L -GS							●		●	●			6,35	2,80	2,38	6,45	0,40	6,5	6,5
CCGT 060208 FR/L -GS							●		●	●						0,80	6,5	6,5	
CCGT 09T304 FR/L -GS							●		●	●			9,52	4,40	3,97	9,70	0,40	9,7	9,7
CCGT 09T308 FR/L -GS							●		●	●						0,80	9,7	9,7	
CCGT 120404 FR/L -GS							●			●			12,7	5,50	4,76	12,9	0,40	12,9	12,9
CCGT 120408 FR/L -GS							●			●						0,80	12,9	12,9	

CPGT mit 3D Spanleitstufe TiroWave® with 3D Chip breaker





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
CPGT 04T102 FN	●			●			●			●			4,76	2,1	1,98	4,85	0,20	2,4	2,4
CPGT 04T104 FN	●			●			●			●						0,40	2,2	2,4	
CPGT 05T102 FN	●			●			●			●			5,56	2,15	1,98	5,5	0,20	2,4	2,4
CPGT 05T104 FN	●			●			●			●						0,40	2,2	2,4	
CPGT 050202 FN	●			●			●			●			5,56	2,5	2,38	5,5	0,20	2,4	2,4
CPGT 050204 FN	●			●			●			●						0,40	2,2	2,4	
CPGT 060201 FN			●			●											0,10		3,0
CPGT 060202 FN	●		●	●		●	●		●	●							0,20	3,4	3,0
CPGT 060204 FN	●		●	●		●	●		●	●			6,35	2,8	2,38	6,45	0,40	3,2	3,0
CPGT 060208 FN																	0,80	3,0	3,0
CPGT 09T301 FN			●			●											0,10	4,6	3,0
CPGT 09T302 FN			●			●											0,20	4,5	3,0
CPGT 09T304 FN	●		●	●		●	●		●	●			9,52	4,4	3,97	9,7	0,40	4,3	3,0
CPGT 09T308 FN	●			●			●		●	●							0,80	4,1	3,0
CPGT 09T312 FN																	1,20	3,9	3,0

CPGT Wiper Geometrie mit 3D Spanleitstufe TiroWave® Wiper edge with 3D Chip breaker





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
CPGT 04T102 FN -W	●			●			●			●			4,76	2,1	1,98	4,80	0,20	2,4	2,4
CPGT 04T104 FN -W	●			●			●			●						0,40	2,2	2,4	
CPGT 05T102 FN -W	●			●			●			●			5,56	2,50	1,98	5,6	0,20	2,4	2,4
CPGT 05T104 FN -W	●			●			●			●						0,40	2,2	2,4	
CPGT 050202 FN -W	●			●			●			●			5,56	2,5	2,38	5,6	0,20	2,4	2,4
CPGT 050204 FN -W	●			●			●			●						0,40	2,2	2,4	
CPGT 060202 FN -W	●			●			●			●			6,35	2,80	2,38	6,45	0,20	3,4	3,0
CPGT 060204 FN -W	●			●			●			●						0,40	3,2	3,0	
CPGT 09T302 FN -W	●			●			●			●			9,52	4,40	3,97	9,70	0,20	4,5	3,0
CPGT 09T304 FN -W	●			●			●			●						0,40	4,3	3,0	

DCGT mit 3D Spanleitstufe TiroWave® with 3D Chip breaker





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
DCGT 070201 FN	●		●	●		●											0,10	3,8	3,0
DCGT 070202 FN	●		●	●		●		●		●		●	6,35	2,80	2,38	7,75	0,20	3,7	3,0
DCGT 070204 FN	●		●	●		●		●		●		●					0,40	3,4	3,0
DCGT 070208 FN	●		●	●		●		●		●		●					0,80	3,0	3,0
DCGT 11T301 FN	●		●	●		●											0,10	4,8	3,0
DCGT 11T302 FN	●		●	●		●		●	●	●		●					0,20	4,7	3,0
DCGT 11T304 FN	●		●	●		●		●	●	●		●	9,52	4,40	3,97	11,6	0,40	4,3	3,0
DCGT 11T308 FN	●		●	●		●		●	●	●		●					0,80	4,0	3,0
DCGT 11T312 FN	●		●	●		●		●	●	●		●					1,20	3,6	3,0

DCGT Wiper Geometrie mit 3D Spanleitstufe TiroWave® Wiper edge with 3D Chip breaker





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm								
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l2		
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD										
DCGT 070202 FR/L -W	●	●		●	●		●	●		●	●		6,35	2,80	2,38	7,75	0,10	3,8	3,0		
DCGT 070204 FR/L -W	●	●		●	●		●	●		●	●								0,20	3,7	3,0
DCGT 11T302 FR/L -W	●	●		●	●		●	●		●	●								0,40	3,4	3,0
DCGT 11T304 FR/L -W	●	●		●	●		●	●		●	●								0,80	3,0	3,0

EPGT mit 3D Spanleitstufe TiroWave® with 3D Chip breaker





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm								
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l2		
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD										
EPGT 040202 FN	●			●			●			●			4,76	2,15	2,38	5,6	0,20	2,4	2,4		
EPGT 040204 FN	●			●			●			●									0,40	2,2	2,4
EPGT 050202 FN	●			●			●			●			5,56	2,50	2,38	5,6	0,20	2,4	2,4		
EPGT 050204 FN	●			●			●			●									0,40	2,2	2,4
EPGT 060202 FN	●			●			●			●			6,35	2,80	2,38	6,45	0,20	3,4	3,0		
EPGT 060204 FN	●			●			●			●									0,40	3,2	3,0
EPGT 080302 FN	●			●			●			●			7,94	3,40	3,18	8,30	0,20	3,4	3,0		
EPGT 080304 FN	●			●			●			●									0,40	3,2	3,0
EPGT 080308 FN	●			●			●			●									0,80	3,0	3,0

**EPHT mit 3D Spanleitstufe TiroWave®
with 3D Chip breaker**





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
EPHT 040101 FN			●			●			●			●					0,10	3,1	2,0
EPHT 040102 FN			●			●			●			●	4,76	2,20	1,58	4,90	0,20	3,0	2,0
EPHT 040104 FN			●			●			●			●					0,40	2,8	2,0
EPHT 06T101 FN	●		●	●		●	●		●			●	6,35	2,80	1,98	6,60	0,10	3,1	3,0
EPHT 06T102 FN	●		●	●		●	●		●			●					0,20	3,0	3,0
EPHT 06T104 FN	●		●	●		●	●		●			●					0,40	2,8	3,0

**EPHT Wiper Geometrie mit 3D Spanleitstufe TiroWave®
with 3D Chip breaker**





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
EPHT 040101 FN -W			●			●			●			●					0,10	3,1	2,0
EPHT 040102 FN -W			●			●			●			●	4,76	2,20	1,58	4,90	0,20	3,0	2,0
EPHT 040104 FN -W			●			●			●			●					0,40	2,8	2,0
EPHT 06T101 FN -W	●		●	●		●	●		●			●	6,35	2,80	1,98	6,60	0,10	3,1	3,0
EPHT 06T102 FN -W	●		●	●		●	●		●			●					0,20	3,0	3,0
EPHT 06T104 FN -W	●		●	●		●	●		●			●					0,40	2,8	3,0

EPHT FullFace mit 3D Spanleitstufe TiroWave®
FullFace with 3D Chip breaker




Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
EPHT 040101 FN FF	●			●			●			●			4,76	2,20	1,58	4,90	0,10		
EPHT 040102 FN FF	●			●			●			●							0,20		
EPHT 040104 FN FF	●			●			●			●							0,40		

EPHT FullFace Wiper Geometrie mit 3D Spanleitstufe TiroWave®
FullFace with 3D Chip breaker




Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
EPHT 040101 FR/L -FF	●			●			●			●			4,76	2,20	1,58	4,90	0,10		
EPHT 040102 FR/L -FF	●			●			●			●							0,20		
EPHT 040104 FR/L -FF	●			●			●			●							0,40		

RCGT mit 3D Spanleitstufe TiroWave®
with 3D Chip breaker





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm							
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1	
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD									
RCGT 0602M0 FN	●	●		●	●		●	●		●	●		6,0	2,8	2,38				360°	120°
RCGT 0603M0 FN	●	●		●	●		●	●		●	●		8,0	3,4	3,18				360°	120°
RCGT 1003M0 FN	●	●		●	●		●	●		●	●		10,0	4,4	3,18				360°	120°
RCGT 10T3M0 FN	●	●		●	●		●	●		●	●		10,0	4,4	3,97				360°	120°
RCGT 1204M0 FN	●	●		●	●		●	●		●	●		12,0	4,4	4,76				360°	120°

SCGT mit 3D Spanleitstufe TiroWave®
with 3D Chip breaker




Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
SCGT 09T302 FN	●	●		●	●		●	●		●	●						0,20	4,5	3,0
SCGT 09T304 FN	●	●		●	●		●	●		●	●						0,40	4,4	3,0
SCGT 09T308 FN	●	●		●	●		●	●		●	●		9,52	4,40	3,97	9,52	0,80	4,3	3,0
SCGT 09T312 FN	●	●		●	●		●	●		●	●						1,20	4,2	3,0
SCGT 120404 FN	●	●		●	●		●	●		●	●						0,40	4,4	3,0
SCGT 120408 FN	●	●		●	●		●	●		●	●		12,7	5,50	4,76	12,7	0,80	4,3	3,0
SCGT 120412 FN	●	●		●	●		●	●		●	●						1,20	4,2	3,0

SCGT Ganze Schneide mit 3D Spanleitstufe TiroWave® Whole edge with 3D Chip breaker





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
SCGT 09T304 FN GS							●		●	●							0,40	9,52	9,52
SCGT 09T308 FN GS							●		●	●			9,52	4,40	3,97	9,52	0,80	9,52	9,52
SCGT 09T312 FN GS							●		●	●							1,20	9,52	9,52
SCGT 120404 FN GS							●			●							0,40	12,7	12,7
SCGT 120408 FN GS							●			●			12,7	5,50	4,76	12,7	0,80	12,7	12,7
SCGT 120412 FN GS							●			●							1,20	12,7	12,7

TCGT mit 3D Spanleitstufe TiroWave® with 3D Chip breaker




Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
TCGT 090202 FN	●		●	●		●	●		●		●						0,20	3,7	3,0
TCGT 090204 FN	●		●	●		●	●		●		●		5,56	2,50	2,36	9,60	0,40	3,4	3,0
TCGT 090208 FN	●		●	●		●	●		●		●						0,80	3,0	3,0
TCGT 110202 FN	●		●	●		●	●		●		●						0,20	3,7	3,0
TCGT 110204 FN	●		●	●		●	●		●		●		6,35	2,80	2,38	11,0	0,40	3,4	3,0
TCGT 110208 FN	●		●	●		●	●		●		●						0,80	3,0	3,0
TCGT 16T302 FN	●			●			●		●		●						0,20	4,7	3,0
TCGT 16T304 FN	●			●			●		●		●						0,40	4,6	3,0
TCGT 16T308 FN	●			●			●		●		●		9,52	4,40	3,97	16,5	0,80	4,2	3,0
TCGT 16T312 FN	●			●			●		●		●						1,20	3,8	3,0

**TCGT Ganze Schneide mit 3D Spanleitstufe TiroWave®
with 3D Chip breaker**




Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
TCGT 090204 FN GS							●		●	●			5,56	2,50	2,36	9,60	0,40	9,6	9,6
TCGT 090208 FN GS							●			●							0,80	9,6	9,6
TCGT 110204 FN GS							●		●	●							0,40	11,0	11,0
TCGT 110208 FN GS							●			●			6,35	2,80	2,38	11,0	0,80	11,0	11,0
TCGT 110212 FN GS							●			●							1,20	11,0	11,0
TCGT 16T304 FN GS							●			●							0,40	16,5	16,5
TCGT 16T308 FN GS							●			●			9,52	4,40	3,97	16,5	0,80	16,5	16,5
TCGT 16T312 FN GS							●			●							1,20	16,5	16,5

**VBGT mit 3D Spanleitstufe TiroWave®
with 3D Chip breaker**





Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
VBGT 110301 FN	●	●	●	●	●	●	●	●	●	●	●	●					0,10	4,6	3,0
VBGT 110302 FN	●	●	●	●	●	●	●	●	●	●	●	●	6,35	2,90	2,38	11,1	0,20	4,6	3,0
VBGT 110304 FN	●	●	●	●	●	●	●	●	●	●	●	●					0,40	3,9	3,0
VBGT 110308 FN	●	●	●	●	●	●	●	●	●	●	●	●					0,80	3,3	3,0
VBGT 160402 FN	●	●	●	●	●	●	●	●	●	●	●	●					0,20	5,9	3,0
VBGT 160404 FN	●	●	●	●	●	●	●	●	●	●	●	●					0,40	5,5	3,0
VBGT 160408 FN	●	●	●	●	●	●	●	●	●	●	●	●	9,52	4,40	4,76	16,6	0,80	5,0	3,0
VBGT 160412 FN	●	●	●	●	●	●	●	●	●	●	●	●					1,20	4,4	3,0

VCGT mit 3D Spanleitstufe TiroWave® with 3D Chip breaker



Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
VCGT 070201 FN	●		●	●		●							3,97	2,2	2,38	6,90	0,10	4,6	3,0
VCGT 070202 FN	●		●	●		●		●		●		0,20					4,6	3,0	
VCGT 070204 FN	●		●	●		●		●		●		0,40					3,9	3,0	
VCGT 070208 FN	●		●	●		●		●		●		0,80					3,3	3,0	
VCGT 110301 FN	●	●	●	●	●	●	●	●	●	●	●	●	6,35	2,9	2,38	11,1	0,10	4,6	3,0
VCGT 110302 FN	●	●	●	●	●	●	●	●	●	●	●	0,20					4,6	3,0	
VCGT 110304 FN	●	●	●	●	●	●	●	●	●	●	●	0,40					3,9	3,0	
VCGT 110308 FN	●		●	●		●		●		●		0,80					3,3	3,0	
VCGT 160401 FN	●	●	●	●	●	●	●	●	●	●	●	●	9,52	4,4	4,76	16,8	0,10		3,0
VCGT 160402 FN	●	●	●	●	●	●	●	●	●	●	●	0,20					5,9	3,0	
VCGT 160404 FN	●	●	●	●	●	●	●	●	●	●	●	0,40					5,5	3,0	
VCGT 160408 FN	●	●	●	●	●	●	●	●	●	●	●	0,80					5,0	3,0	
VCGT 160412 FN	●	●	●	●	●	●	●	●	●	●	●	1,20					4,5	3,0	
VCGT 160416 FN	●						●					1,60					4,0	3,0	

WCGT mit 3D Spanleitstufe TiroWave® with 3D Chip breaker



Bezeichnung Designation	TWF			TWS			TWM			TWN			Abmessungen Dimensions mm						
	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	PizPuin	Sonnblick	Habicht 08	d	d1	s	l	r	l1	l1
	PCD	CVD		PCD	CVD		PCD	CVD		PCD	CVD								
WCGT 020102 FN FF	●	●		●	●		●	●		●	●		3,97	2,3	1,58	5,60	0,20	2,4	
WCGT 020104 FN FF	●	●		●	●		●	●		●	●						0,40	2,2	